

1.2 米 检 测 报 告

1.2mTest Report

产 品 名 称: 可充电锂离子电池

Name of Samples: Rechargeable Li-ion Battery

委 托 单 位: 广东藤友通信科技有限公司

**Commissioner: GUANGDONG TUMTEC COMMUNICATION
TECHNOLOGY CO., LIMITED**

深圳市北航检测有限公司
Shenzhen Beihang Testing Co., Ltd.

General information(基本资料)			
样品名称 Name of samples	可充电锂离子电池 Rechargeable Li-ion Battery	样品外观颜色 Appearance	黑色 Black
型号/规格 Type/Mode	TPW-52 5200mAh,57.72Wh	商标 Trade mark	tumtec
申请商名称 Applicant's name	广东藤友通信科技有限公司 GUANGDONG TUMTEC COMMUNICATION TECHNOLOGY CO., LIMITED		
申请商地址 Applicant's address	广东省佛山市南海区桂城深海路 17 号瀚天科技城 A 区 5 号楼三楼 302-1 RM 302-1, A5, Hantian Hi-tech Zone, 17#, Shenhai Rd, Guicheng, Nanhai District, Foshan, Guangdong, China		
生产厂 Factory	深圳市世能能源科技有限公司 ShenZhen ONE Energy Technology Co. Ltd.		
生产厂地址 Factory's address	深圳市南山区西丽沙河西路 5158 号百旺研发大厦 1 栋 501-1 501-1, BaiWang R&D Building # 1, No.5158 ShaHe West Road, XiLi, NanShan, Shenzhen, PRC.		
鉴定依据 Inspection according to	联合国《关于危险货物运输的建议书规章范本》(19 修订版) 特殊规定 188 条款 UNITED NATIONS "Recommendations on the TRANSPORT OF DANGEROUS GOODS" Model Regulations (19th Rev. edition) special provisions 188		
测试项目 Test item	1.2 米跌落测试 1.2m Drop test		
鉴定结论 Certification	包装符合联合国《关于危险货物运输的建议书规章范本》(19 修订版) 特殊规定 188 条款 1.2 米跌落测试要求。 The package was capable of withstanding 1.2m drop test of UNITED NATIONS "Recommendations on the TRANSPORT OF DANGEROUS GOODS" Model Regulations (19th Rev. edition) special provisions 188.		
Date of issue:/ 签发日期: Jan.10.2018			

Testedby:

主检:

罗智佳

Reviewedby:

审核:

商宝莹

Approvedby:

批准:

钟文锋

Package information (包装信息)		
包装件信息 Information for the package	每包装件毛重 Gross weight per package	Approx.7.85kg
	每包装件电池的净重 Net quantity of batteries per package	Approx.0.395kg
	每包装件含电池个数 Number of batteries per package	1pcs
包装件所含设备信息 Information for equipment in the package	设备名称 Name of equipment	光纤熔接机 Fusion Splicer
	型号 Type/Mode	FST-16S
	商标 Trade mark	tumtec
备注 / Remarks: 防短路及意外启用的内部包装方式是：独立小包装 The manner of inner packaging that can prevent short circuits and accidental operation: Independent packaging.		

Photos of packages (包装照片)

Outer package / 外包装




Inner package / 内包装



Photos of Samples (样品照片)

Rechargeable Li-ion Battery/可充电锂离子电池 (5200mAh, 57.72Wh)



Shenzhen Beihang Testing Co., Ltd.

Phone : +86 755 8650 3482
Fax : +86 755 8650 3182

Website: <http://www.hc-stc.cn>
Check: cs@hc-stc.net

Room B201, The Complex Building of
Virtual University Park, No.2, Yuxing
3rd Road, South Zone of Technology
Park, Yuehai Street, Nanshan District,
Shenzhen, Guangdong, China.

1.2m Drop test(1.2 米跌落测试)			
Test Items 测试项目	Drop test 跌落测试		
1.1	Test procedure 测试步骤		
	<p>The package of batteries is dropped from 1.2m in any orientation. The test floor is concrete floor. 电池的包装件以任意方向从 1.2 米跌落至水泥地面。</p> <p>Each package is capable of withstanding a 1.2m drop test in any orientation without damage to cells or batteries contained therein, without shifting of the contents so as to allow battery to battery (or cell to cell) contact and without release of contents. 每个电池的包装件以任意方向从 1.2 米跌落，而没有造成包装件内的电池或电芯的损坏，也没有移动包装件内的电池或电芯使其相互接触以及包装件内的电池或电芯漏出。</p>		
1.2	Result 测试结果		
	<p>No batteries or cells is damaged or connected by neighbor, the batteries or cells should not be released from package. 包装件内的电池或电芯无损坏，无相互接触。包装件内的电池或电芯不能从包装件漏出。</p>	Surface 面跌落	The package is not cracked, the contents are not damaged and not shifted. 包装未破裂，内装物完好。
		Arris 棱跌落	The package is not cracked, the contents are not damaged and not shifted. 包装未破裂，内装物完好。
		Angle 角跌落	The package is not cracked, the contents are not damaged and not shifted. 包装未破裂，内装物完好。

--End of Test Report--